

2009 EXTERIOR SOLUTIONS: OVERVIEW



SIDING



SOFFIT + FASCIA



DESIGNER ACCENTS



PERFORMANCE METALS



RAIN REMOVAL

**CHARLESTON BEADED
COLLECTION®** [6-1/2"]



**STRUCTURE® EPS
INSULATED SIDING** [D6"]



CEDAR DISCOVERY® [HAND-SPLIT SHAKE]



FOR MORE INFORMATION, VISIT MASTIC.COM


QUEST SIGNATURE™ [D4-1/2" DUTCH LAP]



GRAND SIERRA® [D4"]



T-LOK BARKWOOD® [D4"]



NOT ALL PRODUCTS ARE AVAILABLE IN ALL COLORS

												
TIMBER STONE HAND-SPLIT SHAKE WEATHERED CEDAR COLLECTION	TIMBER STONE CEDAR COLLECTION	AMERICAN WALNUT HAND-SPLIT SHAKE WEATHERED CEDAR COLLECTION	AMERICAN WALNUT CEDAR COLLECTION	NATURAL CEDAR HAND-SPLIT SHAKE WEATHERED CEDAR COLLECTION	NATURAL CEDAR PERFECTION SHINGLES WEATHERED CEDAR COLLECTION	NATURAL CEDAR CEDAR COLLECTION	CAPE COD GREY HAND-SPLIT SHAKE WEATHERED CEDAR COLLECTION	CAPE COD GREY PERFECTION SHINGLES WEATHERED CEDAR COLLECTION	CAPE COD GREY CEDAR COLLECTION	GLACIER BLUE CEDAR COLLECTION	WOODLAND GREEN CEDAR COLLECTION	ASPEN GREY CEDAR COLLECTION
												
RUSSET RED	ENGLISH WEDGEWOOD	RUGGED CANYON	DEEP GRANITE	QUIET WILLOW	MONTANA SUEDE	HAZELWOOD	PORTSMOUTH BLUE	LAKESHORE FERN	TERRA COTTA	AUTUMN GOLD	HARBOR GREY	EVEREST
												
SCOTTISH THISTLE	PEBBLESTONE CLAY	VICTORIAN GREY	TUSCAN OLIVE	WICKER	SANDTONE	SAGE	DESERT SAND	SILVER GREY	ALMOND	CLASSIC CREAM	LINEN	CAMEO
												
COLONIAL YELLOW	SERENE SEAGLASS	ATLANTIC AQUA	BLUSHING CORAL	WHITE	DREAMCOLOR							

STRUCTURE® EPS INSULATED SIDING

- WIND SPEED — RATED UP TO 190 MPH
- PATENTED T3-LOK™
- TORNADO-TOUGH, DOUBLE-THICK, FOLD-OVER NAIL HEM (D 4", D 4-1/2" DLAP)
- 5.0 PERMEABILITY RATING
- BACKED BY UP TO 1-1/4" OF REAL INSULATION — ADDS UP TO R4 TO A HOME'S WALL SYSTEM
- ENHANCED 3/4" PANEL PROJECTION
- 300% MORE IMPACT RESISTANT and 200% MORE RIGID THAN STANDARD VINYL SIDING
- DURANYL 5000® PROTECTION SYSTEM
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING



CEDAR DISCOVERY® PERFECTION SHINGLE TRIPLE 5"

- WIND SPEED — RATED UP TO 200 MPH
- C-LOK™ CONTINUOUS LOCKING SYSTEM + TORNADO-TOUGH NAIL HEM
- NOMINAL .090 THICKNESS
- PATENTED FULL-PANEL SIDE-LOK™
- SURE POSITION LAPPING GAUGE™
- WEATHERED CEDAR COLORS RECREATE THE LOOK OF NATURALLY WEATHERED CEDAR
- SOLID CEDAR COLORS GIVE THE LOOK OF FRESHLY PAINTED CEDAR SHINGLES
- THE CEDAR DISCOVERY FIVE-POINT LOCKING SYSTEM: PEACE OF MIND X 5
- FLEX = EASIER INSTALLATION
- LONGER PANELS = FASTER INSTALLATION
- MATCHING PERFECT CORNER™ CORNER POSTS AVAILABLE



CEDAR DISCOVERY® PERFECTION SHINGLE DOUBLE 7"

- WIND SPEED — RATED UP TO 210 MPH
- C-LOK™ CONTINUOUS LOCKING SYSTEM + PATENTED TORNADO-TOUGH NAIL HEM
- NOMINAL .080 THICKNESS
- PATENTED FULL-PANEL SIDE-LOK™
- SURE POSITION LAPPING GAUGE™
- WEATHERED CEDAR COLORS RECREATE THE LOOK OF NATURALLY WEATHERED CEDAR
- SOLID CEDAR COLORS GIVE THE LOOK OF FRESHLY PAINTED CEDAR SHINGLES
- THE CEDAR DISCOVERY FIVE-POINT LOCKING SYSTEM: PEACE OF MIND X 5
- FLEX = EASIER INSTALLATION
- LONGER PANELS = FASTER INSTALLATION
- MATCHING PERFECT CORNER™ CORNER POSTS AVAILABLE



CEDAR DISCOVERY® HAND-SPLIT SHAKE

- WIND SPEED — RATED UP TO 190 MPH
- C-LOK™ CONTINUOUS LOCKING SYSTEM + PATENTED TORNADO-TOUGH NAIL HEM
- PATENTED FULL-PANEL SIDE-LOK™
- SURE POSITION LAPPING GAUGE™
- WEATHERED CEDAR COLORS RECREATE THE LOOK OF NATURALLY WEATHERED CEDAR
- SOLID CEDAR COLORS GIVE THE LOOK OF FRESHLY PAINTED CEDAR SHINGLES
- THE CEDAR DISCOVERY FIVE-POINT LOCKING SYSTEM: PEACE OF MIND X 5
- FLEX = EASIER INSTALLATION
- LONGER PANELS = FASTER INSTALLATION
- MATCHING CORNER POSTS AND TRADITIONAL CORNER POSTS



CEDAR DISCOVERY® HALF-ROUND

- WIND SPEED — RATED UP TO 210 MPH
- C-LOK™ CONTINUOUS LOCKING SYSTEM + PATENTED TORNADO-TOUGH NAIL HEM
- NOMINAL .080 THICKNESS
- PATENTED FULL-PANEL SIDE-LOK™
- SURE POSITION LAPPING GAUGE™
- SOLID CEDAR COLORS GIVE THE LOOK OF FRESHLY PAINTED CEDAR SHINGLES
- THE CEDAR DISCOVERY FIVE-POINT LOCKING SYSTEM: PEACE OF MIND X 5
- FLEX = EASIER INSTALLATION
- LONGER PANELS = FASTER INSTALLATION



QUEST SIGNATURE™

- WIND SPEED — RATED UP TO 240 MPH
- PATENTED T3-LOK™ LOCKING SYSTEM
- NEW PREMIUM .046 THICKNESS
- LONGER LENGTHS AVAILABLE IN DOUBLE 4" AND DOUBLE 4-1/2" DUTCH LAP — 16' 8"
- TORNADO-TOUGH, DOUBLE-THICK NAIL HEM
- ENHANCED 3/4" PANEL PROJECTION
- KYNAR 500® PROTECTION*
- DURANYL 5000® PROTECTION SYSTEM
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING
- AVAILABLE IN 35 COLORS PLUS MORE THAN 700 DREAMCOLORS™





GRAND SIERRA®

- WIND SPEED — RATED UP TO 240 MPH
- PATENTED T3-LOK™ LOCKING SYSTEM
- PREMIUM .046 THICKNESS
- LONG AND SUPER LONG LENGTHS AVAILABLE — 16' 8" AND 25' 6"
- DOUBLE-THICK, FOLD-OVER NAIL HEM
- ENHANCED 3/4" PANEL PROJECTION
- KYNAR 500® PROTECTION
- DURANYL 5000® PROTECTION SYSTEM
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING



CHARLESTON BEADED COLLECTION®

- WIND SPEED — RATED UP TO 165 MPH
- ADVANCED LOCKING SYSTEM AND NAIL HEM
- PREMIUM .044 THICKNESS CONTEMPORARY BEADED
- PREMIUM .046 THICKNESS TRADITIONAL BEADED
- AVAILABLE IN WOODGRAIN AND SMOOTH FINISH
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING



T-LOK BARKWOOD®

- WIND SPEED — RATED UP TO 165 MPH
- ADVANCED LOCKING SYSTEM AND NAIL HEM
- PREMIUM .048 THICKNESS
- AN INDUSTRY FAVORITE FOR 30+ YEARS
- 1/2" PANEL PROJECTION (D 4", T 2-2/3")
- 5/8" PANEL PROJECTION (D 5", D 5" DLAP)
- 3/4" PANEL PROJECTION (S 8")
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING




OVATION®

- SNAP+LOCK+HOLD™ LOCKING SYSTEM
- THE .042 COLOR LEADER — 20 COLORS
- ROLLOVER, REINFORCED NAIL HEM
- 9/16" PANEL PROJECTION
- DURANYL 5000® PROTECTION SYSTEM
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING

BOARD+BATTEN

- WIND SPEED — RATED UP TO 175 MPH
- ADVANCED LOCKING SYSTEM AND NAIL HEM
- .050 THICKNESS
- 8" BOARD+BATTEN DESIGN
- 6-1/4" BOARD WITH 1-3/4" BATTEN
- WOODGRAIN APPEARANCE
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING



SILHOUETTE CLASSIC™

- WIND SPEED — RATED UP TO 165 MPH
- ADVANCED LOCKING SYSTEM AND NAIL HEM
- PREMIUM .044 THICKNESS
- 1/2" PANEL PROJECTION
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING



CARVEDWOOD•44™

- WIND SPEED — RATED UP TO 200 MPH
- T2-LOK™ LOCKING SYSTEM
- PREMIUM .044 THICK
- AVAILABLE IN WOODGRAIN AND SMOOTH FINISH
- ROLLOVER, REINFORCED NAIL HEM
- 5/8" PANEL PROJECTION
- DURANYL 5000® PROTECTION SYSTEM
- MASTIC HANG-TOUGH™ TECHNOLOGY
- CLASS 1(A) FIRE RATING



ALCOA HOME EXTERIORS

PERFORMANCE METALS® ENVOY® + ENDURANCE® ALUMINUM SIDING

- WIND SPEED — RATED UP TO 165 MPH
- HIGH-PERFORMANCE LOCKING SYSTEM
- ENVOY — NOMINAL .024 THICKNESS
- ENDURANCE — NOMINAL .019 THICKNESS
- THE PREMIER PRODUCT IN THE INDUSTRY — THANKS TO EXTENSIVE TESTING AND ALUMALURE 2000®
- THE HIGHEST-QUALITY ALUMINUM — MEETS OR EXCEEDS Q801 STANDARDS
- STRONG NAIL HEM
- 1/2" PANEL PROJECTION

